The Journal of Cell Biology

Volume 121, 1993



Edited in cooperation with
The American Society for Cell Biology
Published semimonthly by
The Rockefeller University Press
Copyediting and Production
Suzanne M. Runyan, Carol E. Toscano, Robert J. O'Donnell, and Linda Thrasybule

Editor-in-Chief

Norton B. Gilula

Associate Editors

Richard G. W. Anderson
Don W. Cleveland
Werner Franke
Elaine Fuchs
Kenneth M. Yamada

Editorial Board

Helen Blau
Graham Carpenter
Nam-Hai Chua
John Cooper
Sara Courtneidge
Susan W. Craig
Bruce Cunningham
Caroline Damsky
Scott Emr
Harold P. Erickson
Susan M. Gasser
Larry Gerace
Mary-Jane Gething
Larry Goldstein
Alan F. Horwitz
R. L. Juliano
Judith Kimble
Richard Klausner
Hynda Kleinman
Susan Lowey
Elizabeth Luna
Frederick Maxfield
Jacopo Meldolesi
Timothy J. Mitchison
Ronald Morris
Walter Neupert
Bjorn Olsen
Suzanne Pfeffer
Thomas Pollard
Louis F. Reichardt
Daniel B. Rifkin
Mark Rose
Richard Rotundo
Richard Scheller
Victor Small
Murray Stewart
Ron Vale
Frank S. Walsh

Copyright © 1993 by The Rockefeller University Press

Contents:

Volume 121, Number 1, April 1993

1 **Nup155 is a novel nuclear pore complex protein that contains neither repetitive sequence motifs nor reacts with WGA.**
A. Radu, G. Blobel, and R. W. Wozniak

11 **Expression of mutant ELH prohormones in AtT-20 cells: The relationship between prohormone processing and sorting.**
L. J. Jung, T. Kreiner, and R. H. Scheller

23 **COOH-terminal signals mediate the trafficking of a peptide processing enzyme in endocrine cells.**
S. L. Milgram, R. E. Mains, and B. A. Eipper

37 **Functional activation of plasma membrane anion exchangers occurs in a pre-Golgi compartment.**
S. Ruetz, A. E. Lindsey, C. L. Ward, and R. R. Kopito

49 **β-COP localizes mainly to the *cis*-Golgi side in exocrine pancreas.**
A. Oprins, R. Duden, T. E. Kreis, H. J. Geuze, and J. W. Slot

61 **Clathrin and HA2 adaptors: Effects of potassium depletion, hypertonic medium, and cytosol acidification.**
S. H. Hansen, K. Sandvig, and B. van Deurs

73 **Noncoding regions of the γ-actin gene influence the impact of the gene on myoblast morphology.**
C. Lloyd and P. Gunning

83 **Imaging calcium dynamics in living plants using semi-synthetic recombinant aequorins.**
M. R. Knight, N. D. Read, A. K. Campbell, and A. J. Trewavas

91 **Mediation of growth factor induced DNA synthesis and calcium mobilization by G_q and G_{i2}.**
V. J. LaMorte, A. T. Harootunian, A. M. Spiegel, R. Y. Tsien, and J. R. Feramisco

101 **Regulation of the cell cycle by the cdk2 protein kinase in cultured human fibroblasts.**
M. Pagano, R. Pepperkok, J. Lukas, V. Baldin, W. Ansorge, J. Bartek, and G. Draetta

113 **Interference with endogenous ras function inhibits cellular responses to wounding.**
R. G. Sosnowski, S. Feldman, and J. R. Feramisco

121 **Ankyrin-binding proteins related to nervous system cell adhesion molecules: Candidates to provide transmembrane and intercellular connections in adult brain.**
J. Q. Davis, T. McLaughlin, and V. Bennett

135 **Astrocytes and neurosteroids: Metabolism of pregnenolone and dehydroepiandrosterone. Regulation by cell density.**
Y. Akwa, N. Sananès, M. Gouézou, P. Robel, E.-E. Baulieu, and C. Le Goascogne

145 **The *Met* receptor tyrosine kinase transduces motility, proliferation, and morphogenic signals of scatter factor/hepatocyte growth factor in epithelial cells.**
K. M. Weidner, M. Sachs, and W. Birchmeier

155 **Affinity modulation of integrin α5β1: Regulation of the functional response by soluble fibronectin.**
R. J. Faull, N. L. Kovach, J. M. Harlan, and M. H. Ginsberg

163 **Integrin β1- and β3-mediated endothelial cell migration is triggered through distinct signaling mechanisms.**
D. I. Leavesley, M. A. Schwartz, M. Rosenfeld, and D. A. Cheresh

171 **Expression and functional analysis of a cytoplasmic domain variant of the β1 integrin subunit.**
F. Balzac, A. M. Belkin, V. E. Koteliansky, Y. V. Balabanov, F. Altruda, L. Silengo, and G. Tarone

179 **Biochemical characterization and tissue distribution of the A and B variants of the integrin α6 subunit.**
F. Hogervorst, L. G. Admiraal, C. Niessen, I. Kuikman, H. Janssen, H. Daams, and A. Sonnenberg

193 **Parallel regulation of procollagen I and colligin, a collagen-binding protein and a member of the serine protease inhibitor family.**
E. P. Clarke, N. Jain, A. Brickenden, I. A. Lorimer, and B. D. Sanwal

201 **Emilin, a component of elastic fibers preferentially located at the elastin-microfibrils interface.**
G. M. Bressan, D. Daga-Gordini, A. Colombatti, I. Castellani, V. Marigo, and D. Volpin

219 **Association of individual hnRNP proteins and snRNPs with nascent transcripts.**
E. L. Matunis, M. J. Matunis, and G. Dreyfuss

229 **A cytoplasmically anchored nuclear protein interferes specifically with the import of nuclear proteins but not U1 snRNA.**
K. van Zee, A. Dickmanns, U. Fischer, R. Lührmann, and E. Fanning

241 **Unusual nuclear structures in meiotic prophase of fission yeast: A cytological analysis.**
J. Bähler, T. Wyler, J. Loidl, and J. Kohli

257 **A novel tau transcript in cultured human neuroblastoma cells expressing nuclear tau.**
Y. Wang, P. A. Loomis, R. P. Zinkowski, and L. I. Binder

269 **The rubella virus E2 and E1 spike glycoproteins are targeted to the Golgi complex.**
T. C. Hobman, L. Woodward, and M. G. Farquhar

283 **An ion transporting ATPase encodes multiple apical localization signals.**
C. J. Gottardi and M. J. Caplan

295 **Study of the synthesis and secretion of normal and artificial mutants of murine amyloid precursor protein (APP): cleavage of APP occurs in a late compartment of the default secretion pathway.**
B. De Strooper, L. Umans, F. Van Leuven, and H. Van Den Berghe

305 **Products of endocytosis and autophagy are retrieved from axons by regulated retrograde organelle transport.**
P. J. Hollenbeck

317 **Retrieval of transmembrane proteins to the endoplasmic reticulum.**
M. R. Jackson, T. Nilsson, and P. A. Peterson

335 **Apical polarization of N-CAM in retinal pigment epithelium is dependent on contact with the neural retina.**
D. Gundersen, S. K. Powell, and E. Rodriguez-Boulan

345 **The inositol 1,4,5-trisphosphate receptor in heart: Evidence for its concentration in Purkinje myocytes of the conduction system.**
L. Gorza, S. Schiaffino, and P. Volpe

355 **Cross-linking of IgG receptors inhibits membrane immunoglobulin-stimulated calcium influx in B lymphocytes.**
D. Choquet, M. Partiseti, S. Amigorena, C. Bonnerot, W. H. Fridman, and H. Korn

365 **The role of calcium in the *Chlamydomonas reinhardtii* mating reaction.**
U. W. Goodenough, B. Shames, L. Small, T. Saito, R. C. Crain, M. A. Sanders, and J. L. Salisbury

375 **Dynamics of the neuronal intermediate filaments.**
S. Okabe, H. Miyasaka, and N. Hirokawa

387 **Neurofilament deficiency in quail caused by nonsense mutation in neurofilament-L gene.**
O. Ohara, Y. Gahara, T. Miyake, H. Teraoka, and T. Kitamura

397 **Carbohydrate recognition in the peripheral nervous system: A calcium-dependent membrane binding site for HNK-1 reactive glycolipids potentially involved in Schwann cell adhesion.**
L. K. Needham and R. L. Schnaar

409 **The effect of nerve growth factor and fibroblast growth factor on PC12 cells: Inhibition by orthovanadate.**
Y. Y. Wu and R. A. Bradshaw

423 **Thyroid hormone receptor/c-*erb*A: Control of commitment and differentiation in the neuronal/chromaffin progenitor line PC12.**
A. Muñoz, C. Wrighton, B. Seliger, J. Bernal, and H. Beug

439 **Requirement for transglutaminase in the activation of latent transforming growth factor-β in bovine endothelial cells.**
S. Kojima, K. Nara, and D. B. Rifkin

449 **Identification of a glycoprotein ligand for E-selectin on mouse myeloid cells.**
A. Levinovitz, J. Mühlhoff, S. Isenmann, and D. Vestweber

461 **A novel integrin specificity exemplified by binding of the $\alpha_v\beta_5$ integrin to the basic domain of the HIV tat protein and vitronectin.**
B. E. Vogel, S.-J. Lee, A. Hildebrand, W. Craig, M. D. Pierschbacher, F. Wong-Staal, and E. Ruoslahti

469 **Inhibition of fibronectin binding and fibronectin-mediated cell adhesion to collagen by a peptide from the second type I repeat of thrombospondin.**
J. M. Sipes, N. Guo, E. Nègre, T. Vogel, H. C. Krutzsch, and D. D. Roberts

479 ADDITIONS AND CORRECTIONS

Volume 121, Number 3, May 1993

Mini-reviews

481 **Nomenclature of the desmosomal cadherins.**
R. S. Buxton, P. Cowin, W. W. Franke, D. R. Garrod, K. J. Green, I. A. King, P. J. Koch, A. I. Magee, D. A. Rees, J. R. Stanley, and M. S. Steinberg

485 **The molecular organization of tight junctions.**
S. Citi

Regular Articles

491 **The 220-kD protein colocalizing with cadherins in non-epithelial cells is identical to ZO-1, a tight junction-associated protein in epithelial cells: cDNA cloning and immunoelectron microscopy.**
M. Itoh, A. Nagafuchi, S. Yonemura, T. Yasuda-Kitani, S. Tsukita, and S. Tsukita

503 **NDC10: A gene involved in chromosome segregation in *Saccharomyces cerevisiae*.**
P.-Y. Goh and J. V. Kilmartin

513 **Isolation and characterization of a gene (*CBF2*) specifying a protein component of the budding yeast kinetochore.**
W. Jiang, J. Lechner, and J. Carbon

521 **Assembly of vaccinia virus: Role of the intermediate compartment between the endoplasmic reticulum and the Golgi stacks.**
B. Sodeik, R. W. Doms, M. Ericsson, G. Hiller, Carolyn E. Machamer, W. van't Hof, G. van Meer, B. Moss, and G. Griffiths

543 **Membrane flux through the pore formed by a fusogenic viral envelope protein during cell fusion.**
F. W. Tse, A. Iwata, and W. Almers

553 **Rab17, a novel small GTPase, is specific for epithelial cells and is induced during cell polarization.**
A. Lütcke, S. Jansson, R. G. Parton, P. Chavrier, A. Valencia, L. A. Huber, E. Lehtonen, and M. Zerial

565 **A novel cytoskeletal structure involved in purse string wound closure and cell polarity maintenance.**
W. M. Bement, P. Forscher, and M. S. Mooseker

579 **Molecular cloning and immunological characterization of the γ polypeptide, a small protein associated with the Na,K-ATPase.**
R. W. Mercer, D. Biemesderfer, D. P. Bliss, Jr., J. H. Collins, and B. Forbush III

587 **Flightin, a novel myofibrillar protein of *Drosophila* stretch-activated muscles.**
J. O. Vigoreaux, J. D. Saide, K. Valgeirsdottir, and M. L. Pardue

599 **The Ca^{2+}-binding domains in non-muscle type α-actinin: Biochemical and genetic analysis.**
W. Witke, A. Hofmann, B. Köppel, M. Schleicher, and A. A. Noegel

607 **Expression of plectin mutant cDNA in cultured cells indicates a role of COOH-terminal domain in intermediate filament association.**
G. Wiche, D. Gromov, A. Donovan, M. J. Castañon, and E. Fuchs

621 **Essential roles for calcium and calmodulin in G2/M progression in *Aspergillus nidulans*.**
K. P. Lu, S. A. Osmani, A. H. Osmani, and A. R. Means

631 **Mouse notch: Expression in hair follicles correlates with cell fate determination.**
R. Kopan and H. Weintraub

643 **Regulation of E-cadherin–mediated adhesion by muscarinic acetylcholine receptors in small cell lung carcinoma.**
C. L. Williams, V. Y. Hayes, A. M. Hummel, J. E. Tarara, and T. J. Halsey

655 **Five tumor necrosis factor-inducible cell adhesion mechanisms on the surface of mouse endothelioma cells mediate the binding of leukocytes.**
M. Hahne, U. Jäger, S. Isenmann, R. Hallmann, and D. Vestweber

665 **Involvement of ras P21 in neurotrophin-induced response of sensory, but not sympathetic neurons.**
G. D. Borasio, A. Markus, A. Wittinghofer, Y.-A. Barde, and R. Heumann

673 **Adhesion to fibronectin stimulates inositol lipid synthesis and enhances PDGF-induced inositol lipid breakdown.**
H. P. McNamee, D. E. Ingber, and M. A. Schwartz

679 **Extracellular matrix contains insulin-like growth factor binding protein-5: Potentiation of the effects of IGF-I.**
J. I. Jones, W. H. Busby Jr., A. Gockerman, C. Camacho-Hubner, and D. R. Clemmons

689 **Protein kinase C–dependent effects of 12(S)-HETE on endothelial cell vitronectin receptor and fibronectin receptor.**
D. G. Tang, Y. Q. Chen, C. A. Diglio, and K. V. Honn

705 **Cleavage of K-FGF produces a truncated molecule with increased biological activity and receptor binding affinity.**
P. Bellosta, D. Talarico, D. Rogers, and C. Basilico

715 **Nucleoplasmic organization of small nuclear ribonucleoproteins in cultured human cells.**
A. G. Matera and D. C. Ward

729 **Evidence for channeled diffusion of pre-mRNAs during nuclear RNA transport in metazoans.**
Z. Zachar, J. Kramer, I. P. Mims, and P. M. Bingham

743 **Sec61p is adjacent to nascent type I and type II signal-anchor proteins during their membrane insertion.**
S. High, S. S. L. Andersen, D. Görlich, E. Hartmann, S. Prehn, T. A. Rapoport, and B. Dobberstein

751 **Two distinct populations of ARF bound to Golgi membranes.**
J. B. Helms, D. J. Palmer, and J. E. Rothman

761 **The *pas8* mutant of *Pichia pastoris* exhibits the peroxisomal protein import deficiencies of Zellweger syndrome cells—the PAS8 protein binds to the COOH-terminal tripeptide peroxisomal targeting signal, and is a member of the TPR protein family.**
D. McCollum, E. Monosov, and S. Subramani

775 **Oocyte maturation in starfish is mediated by the $\beta\gamma$-subunit complex of a G-protein.**
L. A. Jaffe, C. J. Gallo, R. H. Lee, Y.-K. Ho, and T. L. Z. Jones

785 ***Trichinella spiralis* infected skeletal muscle cells arrest in G_2/M and cease muscle gene expression.**
D. P. Jasmer

795 **Evidence for myoblast-extrinsic regulation of slow myosin heavy chain expression during muscle fiber formation in embryonic development.**
M. Cho, S. G. Webster, and H. M. Blau

811 **Differential regulation of tropomyosin isoform organization and gene expression in response to altered actin gene expression.**
G. Schevzov, C. Lloyd, D. Hailstones, and P. Gunning

823 ***Drosophila* γ-tubulin is part of a complex containing two previously identified centrosomal MAPs.**
J. W. Raff, D. R. Kellogg, and B. M. Alberts

837 **SF-assemblin, the structural protein of the 2-nm filaments from striated microtubule associated fibers of algal flagellar roots, forms a segmented coiled coil.**
K. Weber, N. Geisler, U. Plessmann, A. Bremerich, K.-F. Lechtreck, and M. Melkonian

847 **Bovine filensin possesses primary and secondary structure similarity to intermediate filament proteins.**
F. Gounari, A. Merdes, R. Quinlan, J. Hess, P. G. FitzGerald, C. A. Ouzounis, and S. D. Georgatos

855 **Analysis of the sheep trichohyalin gene: Potential structural and calcium-binding roles of trichohyalin in the hair follicle.**
M. J. Fietz, C. J. McLaughlan, M. T. Campbell, and G. E. Rogers

867 **The organization of F-actin and microtubules in growth cones exposed to a brain-derived collapsing factor.**
J. Fan, S. G. Mansfield, T. Redmond, P. R. Gordon-Weeks, and J. A. Raper

879 **Amino acid sequence RERMS represents the active domain of amyloid β/A4 protein precursor that promotes fibroblast growth.**
H. Ninomiya, J.-M. Roch, M. P. Sundsmo, D. A. C. Otero, and T. Saitoh

887 **HNF4 and HNF1 as well as a panel of hepatic functions are extinguished and reexpressed in parallel in chromosomally reduced rat hepatoma-human fibroblast hybrids.**
G. Griffo, C. Hamon-Benais, P.-O. Angrand, M. Fox, L. West, O. Lecoq, S. Povey, D. Cassio, and M. Weiss

899 **Control of lens epithelial cell survival.**
Y. Ishizaki, J. T. Voyvodic, J. F. Burne, and M. C. Raff

909 **Expression of chicken vinculin complements the adhesion-defective phenotype of a mutant mouse F9 embryonal carcinoma cell.**
M. Samuels, R. M. Ezzell, T. J. Cardozo, D. R. Critchley, J.-L. Coll, and E. D. Adamson

923 **Recombinant entactin promotes mouse primary trophoblast cell adhesion and migration through the arg-gly-asp (RGD) recognition sequence.**
F. D. Yelian, N. A. Edgeworth, L.-J. Dong, A. E. Chung, and D. R. Armant

931 **Regulation of in vitro capillary tube formation by anti-integrin antibodies.**
J. R. Gamble, L. J. Matthias, G. Meyer, P. Kaur, G. Russ, R. Faull, M. C. Berndt, and M. A. Vadas

945 **Activated platelets form protected zones of adhesion on fibrinogen and fibronectin-coated surfaces.**
J. D. Loike, R. Silverstein, L. Cao, L. Solomon, J. Weitz, E. Haber, G. R. Matsueda, M. S. Bernatowicz, and S. C. Silverstein

957 **Placement Service Notices**

961 **Cell cycle-dependent specific positioning and clustering of centromeres and telomeres in fission yeast.**
H. Funabiki, I. Hagan, S. Uzawa, and M. Yanagida

977 **Assembly of the 68- and 72-kD proteins of signal recognition particle with 7S RNA.**
H. Lütcke, S. Prehn, A. J. Ashford, M. Remus, R. Frank, and B. Dobberstein

987 **Early lipid intermediates in glycosyl-phosphatidylinositol anchor assembly are synthesized in the ER and located in the cytoplasmic leaflet of the ER membrane bilayer.**
J. Vidugiriene and A. K. Menon

997 **Differences in the endosomal distributions of the two mannose 6-phosphate receptors.**
J. Klumperman, A. Hille, T. Veenendaal, V. Oorschot, W. Stoorvogel, K. von Figura, and H. J. Geuze

1011 **Macropinosome maturation and fusion with tubular lysosomes in macrophages.**
E. L. Racoosin and J. A. Swanson

1021 **Intramitochondrial sorting of the precursor to yeast cytochrome *c* oxidase subunit Va.**
B. R. Miller and M. G. Cumsky

1031 **Glycosylphosphatidylinositol-anchored proteins are preferentially targeted to the basolateral surface in Fischer rat thyroid epithelial cells.**
C. Zurzolo, M. P. Lisanti, I. W. Caras, L. Nitsch, and E. Rodriguez-Boulan

1041 **The endoplasmic-sarcoplasmic reticulum of smooth muscle: Immunocytochemistry of vas deferens fibers reveals specialized subcompartments differently equipped for the control of Ca^{2+} homeostasis.**
A. Villa, P. Podini, M. C. Panzeri, H. D. Söling, P. Volpe, and J. Meldolesi

1053 **Time-resolved electron microscopic analysis of the behavior of myosin heads on actin filaments after photolysis of caged ATP.**
T. Funatsu, E. Kono, and S. Tsukita

1065 **Purification and properties of transgelin: A transformation and shape change sensitive actin-gelling protein.**
C. Shapland, J. J. Hsuan, N. F. Totty, and D. Lawson

1075 **Localization of caldesmon and its dephosphorylation during cell division.**
N. Hosoya, H. Hosoya, S. Yamashiro, H. Mohri, and F. Matsumura

1083 **Kinesin follows the microtubule's protofilament axis.**
S. Ray, E. Meyhöfer, R. A. Milligan, and J. Howard

1095 **Fluorescence anisotropy imaging microscopy maps calmodulin binding during cellular contraction and locomotion.**
A. H. Gough and D. L. Taylor

1109 **Skin-specific expression of a truncated *Ela* oncoprotein binding to p105-Rb leads to abnormal hair follicle maturation without increased epidermal proliferation.**
C. Missero, C. Serra, K. Stenn, and G. P. Dotto

1121 **Transfection of the CD20 cell surface molecule into ectopic cell types generates a Ca^{2+} conductance found constitutively in B lymphocytes.**
J. K. Bubien, L.-J. Zhou, P. D. Bell, R. A. Frizzell, and T. F. Tedder

1133 **Identification of a *Drosophila* homologue of α-catenin and its association with the *armadillo* protein.**
H. Oda, T. Uemura, K. Shiomi, A. Nagafuchi, S. Tsukita, and M. Takeichi

1141 **Epiligrin, a component of epithelial basement membranes, is an adhesive ligand for $\alpha 3\beta 1$ positive T lymphocytes.**
E. A. Wayner, S. G. Gil, G. F. Murphy, M. S. Wilke, and W. G. Carter

1153 **Accumulation of PDGF B and cell-binding forms of PDGF A in the extracellular matrix.**
J. L. Kelly, A. Sánchez, G. S. Brown, C. N. Chesterman, and M. J. Sleigh

1165 **Fibronectin binding site in type I collagen regulates fibronectin fibril formation.**
B. J. Dzamba, H. Wu, R. Jaenisch, and D. M. Peters

1173 **Multiple negative elements in a gene that codes for an extracellular matrix protein, collagen X, restrict expression to hypertrophic chondrocytes.**
P. Lu Valle, M. Iwamoto, P. Fanning, M. Pacifici, and B. R. Olsen

1181 **Type V collagen: Molecular structure and fibrillar organization of the chicken $\alpha 1$(V) NH_2-terminal domain, a putative regulator of corneal fibrillogenesis.**
T. F. Linsenmayer, E. Gibney, F. Igoe, M. K. Gordon, J. M. Fitch, L. I. Fessler, and D. E. Birk

Perspective

1191 **A new perspective on microtubules and axon growth.**
H. C. Joshi and P. W. Baas

Regular Articles

1197 **Membrane protein retention in the yeast Golgi apparatus: Dipeptidyl aminopeptidase A is retained by a cytoplasmic signal containing aromatic residues.**
S. F. Nothwehr, C. J. Roberts, and T. H. Stevens

1211 **Discrete nascent chain lengths are required for the insertion of presecretory proteins into microsomal membranes.**
S. L. Wolin and P. Walter

1221 **GLUT-4 NH_2 terminus contains a phenylalanine-based targeting motif that regulates intracellular sequestration.**
R. C. Piper, C. Tai, P. Kulesza, S. Pang, D. Warnock, J. Baenziger, J. W. Slot, H. J. Geuze, C. Puri, and D. E. James

1233 **Translocation and insertion of precursor proteins into isolated outer membranes of mitochondria.**
A. Mayer, R. Lill, and W. Neupert

1245 **Yeast vacuolar proenzymes are sorted in the late Golgi complex and transported to the vacuole via a prevacuolar endosome-like compartment.**
T. A. Vida, G. Huyer, and S. D. Emr

1257 **Sorting of membrane components from endosomes and subsequent recycling to the cell surface occurs by a bulk flow process.**
S. Mayor, J. F. Presley and F. R. Maxfield

1271 **Biogenesis of peroxisomes: Isolation and Characterization of two distinct peroxisomal populations from normal and regenerating rat liver.**
G. Lüers, T. Hashimoto, H. D. Fahimi, and A. Völkl

1281 ***N*-formyl peptide receptors in human neutrophils display distinct membrane distribution and lateral mobility when labeled with agonist and antagonist.**
B. Johansson, M. P. Wymann, K. Holmgren-Peterson, and K.-E. Magnusson

1291 **A GPI-anchored sea urchin sperm membrane protein containing EGF domains is related to human uromodulin.**
L. M. Mendoza, D. Nishioka, and V. D. Vacquier

1299 **The cytoplasmic tail of CD44 is required for basolateral localization in epithelial MDCK cells but does not mediate association with the detergent-insoluble cytoskeleton of fibroblasts.**
S. J. Neame and C. M. Isacke

1311 **Proton pumps populate the contractile vacuoles of *Dictyostelium* amoebae.**
J. Heuser, Q. Zhu, and M. Clarke

1329 **Evidence for the selective association of a subpopulation of GPIIb-IIIa with the actin cytoskeletons of thrombin-activated platelets.**
M. E. Bertagnolli and M. C. Beckerle

1343 **Cortical and cytoplasmic flow polarity in early embryonic cells of *Caenorhabditis elegans*.**
S. N. Hird and J. G. White

1357 **Porters versus rowers: A unified stochastic model of motor proteins.**
S. Leibler and D. A. Huse

1369 **Cytoskeletal remodeling during growth cone-target interactions.**
C.-H. Lin and P. Forscher

1385 **Signaling pathways for sphingosylphosphorylcholine-mediated mitogenesis in Swiss 3T3 fibroblasts.**
N. N. Desai, R. O. Carlson, M. E. Mattie, A. Olivera, N. E. Buckley, T. Seki, G. Brooker, and S. Spiegel

1397 **A role for TGF-β in oligodendrocyte differentiation.**
R. D. McKinnon, G. Piras, J. A. Ida, Jr., and M. Dubois-Dalcq

1409 **The fourth immunoglobulin-like domain of NCAM contains a carbohydrate recognition domain for oligomannosidic glycans implicated in association with L1 and neurite outgrowth.**
R. Horstkorte, M. Schachner, J. P. Magyar, T. Vorherr, and B. Schmitz

1423 **Lung endothelial dipeptidyl peptidase IV is an adhesion molecule for lung-metastatic rat breast and prostate carcinoma cells.**
R. C. Johnson, D. Zhu, H. G. Augustin-Voss, and B. U. Pauli

1433 **SPARC, a secreted protein associated with morphogenesis and tissue remodeling, induces expression of metalloproteinases in fibroblasts through a novel extracellular matrix-dependent pathway.**
P. M. Tremble, T. F. Lane, E. H. Sage, and Z. Werb

1445 **AUTHOR INDEX FOR VOLUME 121**

1453 **SUBJECT INDEX FOR VOLUME 121**